



Mounting Type



Optic







NOTES




SERIES GRID	PRODUCT NAME GRIDBar1	TYPE TBR	MOUNTING TC1 TC2 TC3	LENGTH STD-DIS	PRODUCT CODE GBA1-TBR-S	
DWG NUMBER GBA1-TBR-S-Prod-Tech	MASTER ASSEMBLY FOA02-29177	DATE 11/11/2024	SCALE 1:12	Sheet 1 OF 3	REV A	


19 WHEELING AVE | WOBURN, MA 01801 | FLEXGRID.C O M



Mounting Type



Optic



NOTES





SERIES GRID	PRODUCT NAME GRIDBar1
DWG NUMBER GBA1-TBR-S-Prod-Tech	MASTER ASSEMBLY FOA02-29177

TYPE TBR	MOUNTING TC1 TC2 TC3
-------------	-----------------------------

LENGTH STD-RUN	PRODUCT CODE GBA1-TBR-S
-------------------	----------------------------


DATE 11/11/2024	SCALE 1:12	Sheet 1 Of 3	REV A
--------------------	---------------	--------------	----------





***Requires remote driver**
(Ref.XBOX options)

***Requires remote driver**
(Ref.XBOX options)






**Continuous Run Standard Lengths (2 Fixtures
Center to Center TBar)**
18ft [216in]
20ft [240in]
22ft [264in]
24ft [288in]

**Continuous Run Standard Fixture Length with End Caps
TC1 & TC2**

Nominal 18ft [215.4in]
Nominal 20ft [239.4in]
Nominal 22ft [263.4in]
Nominal 24ft [287.4in]

TC3

Nominal 18ft [215.05in]
Nominal 20ft [239.05in]
Nominal 22ft [263.05in]
Nominal 24ft [287.05in]



Mounting Type

Optic

<p>TC1 9/16" Flat TBar</p>	<p>TC2 9/16" Bolt Slot TBar</p>	<p>TC3 15/16" Flat TBar</p>

<p>OFL Flush Lens</p>	<p>ONB Nano Baffle</p>	<p>ODL05 Drop Lens 1/2"</p>

NOTES



<p>SERIES GRID</p>	<p>PRODUCT NAME GRIDBar1</p>	<p>TYPE TBR</p>	<p>MOUNTING TC1 TC2 TC3</p>	<p>LENGTH STD-RUN</p>	<p>PRODUCT CODE GBA1-TBR-S</p>
<p>DWG NUMBER GBA1-TBR-S-Prod-Tech</p>		<p>MASTER ASSEMBLY FOA02-29177</p>		<p>DATE 11/11/2024</p>	<p>SCALE 1:12</p>
<p>Sheet 1 of 3</p>				<p>REV A</p>	

