


***Fixture mounted driver**


Remote driver option available
(Ref.XBOX options)



Discrete Standard Lengths
Center to Center TBar

- 2ft [24in]
- 4ft [48in]
- 6ft [72in]
- 8ft [96in]

Discrete Standard Fixture Length with EndCaps




TC1

- Nominal 2ft [23.91in]
- Nominal 4ft [47.91in]
- Nominal 6ft [71.91in]
- Nominal 8ft [95.91in]


TC3

- Nominal 2ft [23.86in]
- Nominal 4ft [47.86in]
- Nominal 6ft [71.86in]
- Nominal 8ft [95.86in]




***Fixture mounted driver**


Remote driver option available
(Ref.XBOX options)



Mounting Type



Optic




NOTES



SERIES GRID	PRODUCT NAME GRIDSLOT1	TYPE Recessed	MOUNTING TC1 TC3	LENGTH STD-DIS	PRODUCT CODE GSL1-R-S	FLEX GRID	
DWG NUMBER GSL1-R-S-Prod-Tech		MASTER ASSEMBLY FOA02-25787		DATE 01/09/2025	SCALE 1:12	Sheet 1 OF 3	REV A
19 WHEELING AVENUE WOBURN, MA 010801 FLEXGRID.COM							

***Fixture mounted driver**

Remote driver option available
(Ref.XBOX options)




Continuous Run Standard Fixture Lengths with End Caps

TC1

- Nominal 10ft [119.91in]
- Nominal 12ft [143.91in]
- Nominal 14ft [167.91in]
- Nominal 16ft [191.91in]

TC3

- Nominal 10ft [119.86in]
- Nominal 12ft [143.86in]
- Nominal 14ft [167.86in]
- Nominal 16ft [191.86in]



Hanger Clip
FO-30155

Direct
Beam Pattern

Joiner


Optic
[OFL | ONB]

Driver Location
[FMD | RD]


TBar

***Fixture mounted driver**


Remote driver option available
(Ref.XBOX options)



Mounting Type



Optic



NOTES



SERIES
GRID

PRODUCT NAME
GRIDSLOT1

TYPE
Recessed

MOUNTING
TC1 | TC3

LENGTH
STD-RUN

PRODUCT CODE
GSL1-R-S



DWG NUMBER
GSL1-R-S-Prod-Tech

MASTER ASSEMBLY
FOA02-29914

DATE
01/09/2025

SCALE
1:12


Sheet 2 OF 3

REV
A

19 WHEELING AVENUE | WOBURN, MA 01080 | FLEXGRID.COM

***Fixture mounted driver**

Remote driver option available
(Ref.XBOX options)



**Continuous Run Standard Lengths (3 Fixtures
Center to Center TBar**

- 18ft [216]
- 20ft [240]
- 22ft [264]
- 24ft [288]


Continuous Run Standard Fixture Lengths with End Caps

TC1

- Nominal 18ft [215.91in]
- Nominal 20ft [239.91in]
- Nominal 22ft [263.91in]
- Nominal 24ft [287.91in]



TC3

- Nominal 18ft [215.86in]
- Nominal 20ft [239.86in]
- Nominal 22ft [263.86in]
- Nominal 24ft [287.86in]




***Fixture mounted driver**


Remote driver option available
(Ref.XBOX options)



Mounting Type



Optic



NOTES



SERIES GRID	PRODUCT NAME GRIDSLOT1	TYPE Recessed	MOUNTING TC1 TC3	LENGTH STD-RUN	PRODUCT CODE GSL1-R-S	FLEX GRID
DWG NUMBER GSL1-R-S-Prod-Tech	MASTER ASSEMBLY FOA02-29914	DATE 01/09/2025	SCALE 1:12	Sheet 3 of 3	REV A	